

-
-
-
-
-
- C
- C

n_address_id	
n_addr_type_id	(,) • CONST.ADDR_TYPE_FactPlace - • CONST.ADDR_TYPE_IP - IP- • CONST.ADDR_TYPE_Subnet - • CONST.ADDR_TYPE_MAC - MAC- • CONST.ADDR_TYPE_EMail - • CONST.ADDR_TYPE_Telephone - • CONST.ADDR_TYPE_TelCode - • CONST.ADDR_TYPE_TelZone - « ».
vc_name	
vc_code	
vc_visual_code	
vc_address	
vc_flat	,
n_value	
n_mask	
n_region_id	
vc_entrance_no	
n_floor_no	
vc_dis_code	
vc_rem	
region	

n_region_id	
vc_name	
vc_eng_name	
vc_code	
vc_zip	

vc_home	
vc_building	
vc_construct	
vc_ownership	
vc_code_ext	
vc_reg_type_name	
vc_reg_type_code	
vc_formatted_name	
municipal_region	,
parent	,

parent	, .
binds	/ ()
reversed_binds	• bind_main_object - , • bind_object - , • main_object - , • object - , • n_obj_role_id - (,) • CONST.OBJOBJ_BIND_TYPE_Specification - • CONST.OBJOBJ_BIND_TYPE_NetConnection - • CONST.OBJOBJ_BIND_TYPE_PhysicalLink - • CONST.OBJOBJ_BIND_TYPE_NetConMgr - • CONST.OBJOBJ_BIND_TYPE_InstalledIn - • vc_obj_role -
addresses	() • address - (, #) • c_fl_actual - ('Y' / 'N') • d_begin - • d_end - • n_obj_addr_type_id - (,) • CONST.BIND_ADDR_TYPE_Actual - • CONST.BIND_ADDR_TYPE_HostPort - • CONST.BIND_ADDR_TYPE_Jur - • CONST.BIND_ADDR_TYPE_Fixed - • CONST.BIND_ADDR_TYPE_Serv - • CONST.BIND_ADDR_TYPE_FixLocation - • CONST.BIND_ADDR_TYPE_Work - • CONST.BIND_ADDR_TYPE_Mobile - • CONST.BIND_ADDR_TYPE_Home - • CONST.BIND_ADDR_TYPE_Post - • CONST.BIND_ADDR_TYPE_Notice - • vc_obj_addr_type_name -
n_object_id	
n_good_id	
good	
vc_good_name	
n_firm_id	
n_obj_state_id	
vc_obj_name	

vc_obj_code	
vc_code_add	
vc_rem	
vc_serial	
vc_inv_no	
d_warranty_till	
n_owner_id	
vc_owner_name	
vc_owner_code	

vc_surname	
vc_first_name	
vc_second_name	
vc_name	
n_employee_type_id	
vc_employee_type	
n_subj_depart_id	
vc_subj_depart_name	
vc_appointment	
vc_appointment_genitive	(.)
vc_act_authority	(.)
vc_tab_no	
d_begin	
d_end	
vc_rem	
n_firm_id	

n_good_id	
vc_good_code	
vc_good_name	
n_good_type_id	
vc_good_type_code	
vc_good_type_name	
n_good_group_id	
vc_good_group_name	
n_unit_id	

vc_unit_code	
vc_rem	
n_quant	
n_duration_id	
n_duration_unit_id	
n_duration_value	
n_rendering_type_id	
n_reserved_unit_id	
n_reserved_value	
n_connect_type_id	
n_disconnect_type_id	
parent	

. ap additional_param

C

n_tax_rate_id	
vc_tax_rate_name	
n_currency_id	
vc_currency_name	
n_price	
n_price_wo_tax	
n_unit_id	
vc_unit_name	
n_quant_first	
n_quant_last	
n_quant_price	
n_init_pay_sum	c
n_init_pay_wo_tax	
n_speed_volume	
n_speed_unit_id	
vc_speed_unit_name	
vc_user_rem	
n_time_interval_id	
vc_time_interval	
vc_formula	
n_provider_id	
vc_provider	
vc_price_param_value	
doc	

children	
good	
time_intervals	, . — ,

C

line_id	
line_no	
doc_id	
doc	
day_type_name	
days_of_week	, " ,,"
days	, , #
time_intervals	• ref_id - • name - • code - • from - (. #) • to - (. #)